



GO GREEN(ER)

Company offer

WWW.NORDSIGN.COM



CONTENTS

3 Inks

Certificates

6 Textiles

Green Flag

Decotex Recycled

Samba Green

Backlit P Recycled

11 Banners

Blockout 220

Mesh PVC-Free

15 Vinyls

Vinyl PVC-Free

Kalke

PET Backlit Premium

Mitylon

Laminate Gloss PVC-Free

Anti Slip Laminate

23 Other

Rubber Band PVC-Free

We have gathered all environmentally-friendlier materials to present to you

Nordsign's Go Green(er) Offer.

PVC-free vinyls and rubber band, textiles made from recycled materials, water-based coatings and many more. Now you can choose your favourite products in two versions: standard and green.

Explore the endless possibilities with Nordsign.



EXPLANATION

Inks certificates



ECO PASSPORT by OEKO-TEX®

is an independent certification system for chemicals, colourants and auxiliaries used in the textile and leather industry. During a multistep process, we analyse whether each individual ingredient in the chemical product meets the statutory requirements and that it is not harmful to human health.



OEKO-Tex

STANDARD 100 by OEKO-TEX® is one of the world's best-known labels for textiles tested for harmful substances. It stands for customer confidence and high product safety.



Green Guard Gold

The green-colored logo certifies a product has low chemical emissions. The majority of our chemical exposure happens through the air we breathe, including indoor air.



ECOLOGO®

Certified products, services and packaging are certified for reduced environmental impact. ECOLOGO Certifications are voluntary, multiattribute, life cycle-based environmental certifications that indicate a product has undergone rigorous scientific testing, exhaustive auditing or both, to prove its compliance with stringent, third-party, environmental performance standards.



REACH Compliant

Material complies with REACH (EC 1907/2006) - aims to improve the protection of human health and the environment through the better and earlier identification of the intrinsic properties of chemical substances.



ZDHC Gateway Level I

The ZDHC Manufacturing Restricted Substances List (ZDHC MRSL) is a list of chemical substances. These substances are banned from intentional use in facilities processing textile materials, leather, rubber, foam, adhesives and trim parts in textiles, apparel, and footwear.



CALIFORNIA PROPOSITION 65

Proposition 65 requires the state to maintain and update a list of chemicals known to the state to cause cancer or reproductive toxicity.



Heavy metal free

Information about the concentration of your hard work, such as: Chromium (Cr), Cadmium (Cd), Mercury (Hg) or Lead (Ld)

PRINTING INKS CERTIFICATES

The inks we use for printing also have certificates.
Depending on the configuration of the product, inks
and certificates may comply with the following list:



Sublimation print / Transfer print

Certificates available:

- REACH compliant,
 - OEKO Tex,
 - Heavy Metal Free,
 - CALIFORNIA PROPOSITION 65
-



UV print

Certificates available:

- Green Guard Gold,
 - REACH compliant
-





Latex print

Certificates available:


- ECOLOGO®,
- Green Guard Gold



Flags made with Green Flag



Pop Up Lightbox with Samba Green



EXPLANATION

Materials certificates



From Recycled Materials

The material was made using recycled materials.



PVC-Free

It does not emit noxious, chemical scents or expose the user to such dioxins as PVC.



Water-based Coatings

The coatings that cover the materials are largely water-based.



REACH Compliant

Material complies with REACH (EC 1907/2006) - aims to improve the protection of human health and the environment through the better and earlier identification of the intrinsic properties of chemical substances.



Global Recycled Standard

The GRS is an international, voluntary, full product standard that sets requirements for third-party certification of recycled content, chain of custody, social and environmental practices and chemical restrictions.



Phthalate-free

Phthalates, a family of industrial chemicals used to soften polyvinyl chloride (PVC) plastic and as solvents in cosmetics and other consumer products, can damage the liver, kidneys, lungs, and reproductive system.



Heavy Metal Free

Information about the concentration of your hard work, such as: Chromium (Cr), Cadmium (Cd), Mercury (Hg) or Lead (Ld)



OEKO-Tex

STANDARD 100 by OEKO-TEX® is one of the world's best-known labels for textiles tested for harmful substances. It stands for customer confidence and high product safety.



TEXTILES



Green Flag

Lightweight flag textile made of recycled yarns.
Perfect for indoor and outdoor use.


Weight:

110 g/m²

Material:

100% recycled polyester

PRINT:



TRANSFER PRINTING



DYE-SUB PRINTING



LATEX PRINTING




UV PRINTING

Sample print:



Sample print resolution: 1200dpi

PERFECT FOR:



BANNERS



POP UP SYSTEMS



FLAGS



EXHIBITION CONSTRUCTIONS



POSTERS



STICKERS



FRAME SYSTEMS

ECO:



FROM RECYCLED MATERIALS



PVC-FREE



WATER-BASED COATINGS



REACH COMPLIANT



GRS - GLOBAL RECYCLED STANDARD



PHTHALATE-FREE



HEAVY METAL FREE

HEAVY METAL-FREE

PROPERTIES:



WATER-RESISTANT WD



DOUBLE-SIDED PRINTING



STRETCHES IN ONE DIRECTION



STRETCHES IN TWO DIRECTIONS



GLUE LAYER



BACKLIGHT



ANTI SLIP



AVAILABLE IN MANY COLOURS




CAN BE FOLDED




BLOCKOUT

POPULAR FINISHING:



CLEAN CUT



OPEN SEAM



IRON BAR



VELCRO



EVO MAX



KEDERLIST




EYELETS




FLAG TAPE + EYELETS



RUBBER BAND



FLAG TAPE + HOOKS



SINGLE/DOUBLE STITCH

CERTIFICATES:



FIRE RETARDANT B1



FIRE RETARDANT M1



SOUND ABSORBING CERTIFICATE



OEKO TEX

Due to the continued development of our offer, some information in the specification card may be subject to change. Before placing the order and production, please verify the specification with our Sales Team.

version: 21.04.2021



Decotex Recycled

Elastic and resistant to creasing textile made of recycled yarns. Perfect for portable, foldaway advert systems and displays.

Weight:

220 g/m²

Material:

100% recycled polyester

PRINT:



TRANSFER PRINTING



DYE-SUB PRINTING



LATEX PRINTING




UV PRINTING

Sample print:



Sample print resolution: 1200dpi

PERFECT FOR:



BANNERS



POP UP SYSTEMS



FLAGS



EXHIBITION CONSTRUCTIONS



POSTERS



STICKERS



FRAME SYSTEMS

ECO:



FROM RECYCLED MATERIALS



PVC-FREE



WATER-BASED COATINGS



REACH COMPLIANT



GRS - GLOBAL RECYCLED STANDARD



PHTHALATE-FREE



HEAVY METAL FREE

HEAVY METAL-FREE

PROPERTIES:



WATER-RESISTANT WD



DOUBLE-SIDED PRINTING



STRETCHES IN ONE DIRECTION



STRETCHES IN TWO DIRECTIONS



GLUE LAYER



BACKLIGHT



ANTI SLIP



AVAILABLE IN MANY COLOURS




CAN BE FOLDED



BLOCKOUT

POPULAR FINISHING:



CLEAN CUT



OPEN SEAM



IRON BAR



VELCRO




EVO MAX



KEDERLIST



EYELETS



FLAG TAPE + EYELETS



RUBBER BAND



FLAG TAPE + HOOKS



SINGLE/DOUBLE STITCH

CERTIFICATES:



FIRE RETARDANT B1



FIRE RETARDANT M1




SOUND ABSORBING CERTIFICATE



OEKO TEX

Due to the continued development of our offer, some information in the specification card may be subject to change. Before placing the order and production, please verify the specification with our Sales Team.

version: 21.04.2021



Samba Green

Lightweight and sheer textile made of recycled yarns. Waterproof, with a non-flammable certificate. Perfect for lightboxes.

Weight:
195 g/m²

Material:
100% recycled polyester

PRINT:



Sample print:



Sample print resolution: 1200dpi


PERFECT FOR:



ECO:



PROPERTIES:



POPULAR FINISHING:



CERTIFICATES:



Due to the continued development of our offer, some information in the specification card may be subject to change. Before placing the order and production, please verify the specification with our Sales Team.

version: 21.04.2021



Backlit P Recycled

High-quality textile made of recycled yarns.
Guarantees great resolution.
Perfect for lightboxes.

Weight:
125 g/m²

Material:
100% recycled polyester

PRINT:



Sample print:



Sample print resolution: 1200dpi


PERFECT FOR:



ECO:



PROPERTIES:



POPULAR FINISHING:



CERTIFICATES:



Due to the continued development of our offer, some information in the specification card may be subject to change. Before placing the order and production, please verify the specification with our Sales Team.

version: 21.04.2021



BANNERS



Blockout 220g

Thin, matt 220g material with a blockout layer inside.
Perfect for double-sided banners.

Weight:
220 g/m²
Material:
PET&PP

PRINT:



Sample print:



Sample print resolution: 1200dpi


PERFECT FOR:



ECO:



PROPERTIES:



POPULAR FINISHING:



CERTIFICATES:



Due to the continued development of our offer, some information in the specification card may be subject to change. Before placing the order and production, please verify the specification with our Sales Team.

version: 21.04.2021

Mesh PVC-Free

Light and air permeable mesh material made of recycled yarns. Due to the mesh structure, it is recommended for low-detailed graphics on large-format banners


Weight:
180 g/m²
Material:
100% polyester



PRINT:



Sample print:



Sample print resolution: 1200dpi


PERFECT FOR:



ECO:



PROPERTIES:



POPULAR FINISHING:



CERTIFICATES:



Due to the continued development of our offer, some information in the specification card may be subject to change. Before placing the order and production, please verify the specification with our Sales Team.

version: 21.04.2021



VINYLS

Vinyl PVC-Free

Glossy, PVC-free printing film.
Perfect for stickers, especially window stickers.

Thickness:
100 µm

Material:
White polypropylene



PRINT:



Sample print: Sample print resolution: 1200dpi


PERFECT FOR:




ECO:




PROPERTIES:



POPULAR FINISHING:



CERTIFICATES:



Due to the continued development of our offer, some information in the specification card may be subject to change. Before placing the order and production, please verify the specification with our Sales Team.

version: 21.04.2021



Kalke

PVC-free, water-resistant non-adhesive foil for posters. Thanks to its properties, it gives the effect of a two-sided poster.

Thickness:
100 µm
Material:
PET

PRINT:						
TRANSFER PRINTING	DYE-SUB PRINTING	LATEX PRINTING	UV PRINTING			
Sample print: <input type="radio"/>				Sample print resolution: 1200dpi		
PERFECT FOR:						
BANNERS	POP UP SYSTEMS	FLAGS	EXHIBITION CONSTRUCTIONS	POSTERS	STICKERS	FRAME SYSTEMS
ECO:						
FROM RECYCLED MATERIALS	PVC-FREE	WATER-BASED COATINGS	REACH COMPLIANT	GRS - GLOBAL RECYCLED STANDARD	PHTHALATE-FREE	HEAVY METAL-FREE
PROPERTIES:						
WATER-RESISTANT WD	DOUBLE-SIDED PRINTING	STRETCHES IN ONE DIRECTION	STRETCHES IN TWO DIRECTIONS	GLUE LAYER	BACKLIGHT	ANTI SLIP
AVAILABLE IN MANY COLOURS	CAN BE FOLDED	BLOCKOUT				
POPULAR FINISHING:						
CLEAN CUT	OPEN SEAM	IRON BAR	VELCRO	EVO MAX	KEDERLIST	EYELETS
FLAG TAPE + EYELETS	RUBBER BAND	FLAG TAPE + HOOKS	SINGLE/DOUBLE STITCH			
CERTIFICATES:						
FIRE RETARDANT B1	FIRE RETARDANT M1	SOUND ABSORBING CERTIFICATE	OEKO TEX			

Due to the continued development of our offer, some information in the specification card may be subject to change. Before placing the order and production, please verify the specification with our Sales Team.

version: 21.04.2021



PET Backlit Premium

PVC-free, water-resistant non-adhesive vinyl.
Perfect for lightboxes, illuminated signage,
backlit displays, and hanging banners.

Thickness:
100 µm
Material:
PET

PRINT:



Sample print:



Sample print resolution: 1200dpi


PERFECT FOR:



ECO:



PROPERTIES:



POPULAR FINISHING:



CERTIFICATES:



Due to the continued development of our offer,
some information in the specification card may be subject to change.
Before placing the order and production,
please verify the specification with our Sales Team.

version: 21.04.2021



Mitylon

Latex, PVC-free wall covering. Smooth, reflexion-free matt surface. No shrinkage or stretching during application. Allows the walls to "breathe" and partially mutes sounds.

Weight:
150 g/m²

Material:
Blend of cellulose with a polyester

PRINT:



Sample print:



Sample print resolution: 1200dpi


PERFECT FOR:



ECO:



PROPERTIES:



POPULAR FINISHING:



CERTIFICATES:



Due to the continued development of our offer, some information in the specification card may be subject to change. Before placing the order and production, please verify the specification with our Sales Team.

version: 21.04.2021

Laminate Gloss PVC-Free

Glossy, adhesive laminate that guarantees high resolution print. PVC and phthalate-free, UV and scratch resistant. Perfect for stickers, especially window stickers.

Thickness:
60 µm

Material:
Polypropylene-based laminating



PRINT:



Sample print:



Sample print resolution: 1200dpi


PERFECT FOR:



ECO:



PROPERTIES:



POPULAR FINISHING:



CERTIFICATES:



Due to the continued development of our offer, some information in the specification card may be subject to change. Before placing the order and production, please verify the specification with our Sales Team.

version: 21.04.2021

Anti Slip Laminate

Matt, PVC-free vinyl laminate. Very durable, dirt and scratch resistant. Perfect for floor signage.

Thickness:

125 µm

Material:

Polypropylene-based laminating



PRINT:



Sample print:



Sample print resolution: 1200dpi


PERFECT FOR:



ECO:



PROPERTIES:



POPULAR FINISHING:



CERTIFICATES:



Due to the continued development of our offer, some information in the specification card may be subject to change. Before placing the order and production, please verify the specification with our Sales Team.

version: 21.04.2021



OTHER




Rubber Band PVC-Free

PVC-free rubber band.
Perfect as a finishing of banners for frames.

Dimensions:
14x3 mm

Material:
100% polyester



PRINT:



Sample print:



Sample print resolution: 1200dpi


PERFECT FOR:



ECO:



PROPERTIES:



POPULAR FINISHING:



CERTIFICATES:



Due to the continued development of our offer, some information in the specification card may be subject to change. Before placing the order and production, please verify the specification with our Sales Team.

version: 21.04.2021

CONTACT

Technical consultancy, technical order processing, trade terms conditions,
inquiries, contracts/deals, on-time delivery, transport conditions

SUPPORT@NORDSIGN.COM



WWW.NORDSIGN.COM

